


## 976nm 27W Wavelength-Stabilized Fiber Coupled Diode Laser

#### **K976AAHRN-27.00W (Standard Product)**



#### Features:

- 976nm wavelength
- 27W output power
- 105µm fiber core diameter
- 0.22N.A.
- Narrow bandwidth  $\triangle \lambda \leq 0.7$ nm
- 1040nm-1200nm feedback protection

### Applications:

Fiber laser pumping

BWT Beijing's High Power Diode Laser Modules are manufactured by adopting specialized fiber-coupling techniques, resulting in volume products with a high efficiency, stability and superior beam quality. The products are achieved by transforming the asymmetric radiation from the laser diode chip into an output fiber with small core diameter by using special micro optics. Inspecting and burn-in procedures in every aspect come to a result to guarantee each product with the reliability, stability and long lifetime.

Our research staffs are constantly improving and innovating the processing technology in the producing process, based on the professional knowledge and experience accumulated in long-terms. We are also continuously developing new products to meet customers' specific needs.

At BWT Beijing, to provide high quality products with reasonable price is our always goal.





# 976nm 27W Wavelength-Stabilized Fiber Coupled Diode Laser

## **K976AAHRN-27.00W** (Standard Product)

Specifications(25℃)		Symbol	Unit	K976AAHRN-27.00W		
				Minimum	Typical	Maximum
Optical Data <sup>(1)</sup>	CW-Output Power	Po	W	27	-	-
	Center Wavelength	λο	nm	976±0.5		
	Spectral Width (FWHM)	Δλ	nm	< 0.7		
	Wavelength Shift with Temperature	Δλ/ΔΤ	nm/℃	-	0.02	-
	Wavelength Shift with Current	$\triangle \mathcal{N} \triangle A$	nm/A	-	0.03	-
Electrical Data	Electrical-to-Optical Efficiency	PE	%	-	48	-
	Operating Current	l <sub>op</sub>	А	-	12	13
	Threshold Current	I <sub>th</sub>	А	-	0.9	-
	Operating Voltage	V <sub>op</sub>	V	-	4.8	6
	Slope Efficiency	η	W/A	-	2.5	-
Fiber Data <sup>(2)</sup>	Core diameter	D <sub>core</sub>	μm	-	105	-
	Cladding diameter	D <sub>clad</sub>	um	-	125	-
	Buffer diameter	D <sub>buf</sub>	um	-	250	-
	Numerical Aperture	N.A.	-	-	0.22	-
	Total Fiber Length	L <sub>f</sub>	m	-	1	-
	Fiber Loose Tubing Diameter/Length	-	μm	0.9mm PVC 15cm		
	Minimum Bending Radius	-	mm	60	-	-
	Fiber termination	-	-	-	None	-
Feedback Isolation	Wavelength Range (3)	λ	nm	1040~1200		
	Isolation	-	dB	-	30	-
Others	ESD	V <sub>esd</sub>	V	-	-	500
	Storage Temperature (Non-operating) (4)	T <sub>st</sub>	°C	-20	-	70
	Lead Soldering Temp	T <sub>Is</sub>	°C	-	-	260
	Lead Soldering Time	t	sec	-	-	10
	Operating Case Temperature <sup>(5)</sup>	Тор	°C	25	-	30
	Relative Humidity	RH	%	15	-	75

<sup>(1)</sup> Data measured under operation output at 27W.

Tel: +86-10-8368 1053 Fax: +86-10-8368 2949 E-mail: sales@bwt-bj.com URL: www.bwt-bj.com

<sup>(2)</sup> Other fiber type customized according to customers requirements.

<sup>(3)</sup> Other feedback isolation customized according to customers requirements.


<sup>(4)</sup> A non-condensing environment is required for operation and storage conditions are from -20 to +70 °C with relative humidity between 15 to 75 %.

<sup>(5)</sup> Operating temperature defined by the package housing. Acceptable operating range is 25 - 30C, but performance may vary.



# 976nm 27W Wavelength-Stabilized Fiber Coupled Diode Laser


## **K976AAHRN-27.00W** (Standard Product)





# 976nm 27W Wavelength-Stabilized Fiber Coupled Diode Laser

### **K976AAHRN-27.00W (Standard Product)**



### **OPERATING NOTES**

- ◆ Avoid eye exposure to direct or scattered radiation.
- ◆ ESD precautions must be taken.
- Please connect pins to wires by solder instead of using socket when operation current is higher than 6A.
- ◆ Soldering point should be close to the root of the pins. Soldering temperature should be lower than 260℃ and time shorter than 10 second.
- ◆ Use constant current power supply. Avoid surge current.
- ◆ Laser diode must be used according to the specifications.
- Laser diode must work with good cooling.
- ◆ A minimum bend radius should be 300 times greater than the fiber cladding diameter, dynamic bend radius should be 400 times greater than the fiber cladding diameter.
- ◆ Operation temperature is 25°C~30°C.
- ♦ Storage: -20°C~ +70°C, all pins short-circuit.





**Declaration**: information and specifications contained herein are deemed to be reliable and accurate. BWT Beijing reserves the right to change, alter or modify the design and specifications of these products at any time without notice.18-1

