Dual Sandwich Detector Series

Two Color Photodiodes

Dual Sandwich Detectors or Two Color Detectors are mostly employed for remote temperature measurements. The temperature is measured by taking the ratio of radiation intensities of two adjacent wavelengths and comparing them with the standard black body radiation curves. The advantages of optical remote measurement have definitely made these devices the perfect match for this type of measurements. They are independent of emissivity and unaffected by contaminants in the field of view or moving targets. In addition, measurements of targets out of the direct line of sight and the ability to function from outside RF/EMI interference or vacuum areas are possible. They also have the advantages of overcoming obstructed target views, blockages from sight tubes, channels or screens, atmospheric smoke, steam, or dust, dirty windows as well as targets smaller than field of view and/or moving within the field of view. These detectors can also be used in applications where wide wavelength range of detection is needed.

OSI Optoelectronics offers three types of dual sandwich detectors. The Silicon-Silicon sandwich, in which one silicon photodiode is placed on top of the other, with the photons of shorter wavelengths absorbed in the top silicon and the photons of longer wavelengths penetrating deeper, absorbed by the bottom photodiode. For applications requiring a wider range of wavelength beyond 1.1 μ m, an InGaAs photodiode replaces the bottom photodiode. The Silicon-InGaAs version is also available with a two stage thermo-electric cooler for more accurate measurements by stabilizing the temperature of the InGaAs detector.

All devices are designed for photovoltaic operation (no bias), however, they may be biased if needed, to the maximum reverse voltage specified. They are ideal for coupling to an operational amplifier in the current mode. For further details refer to the "Photodiode Characteristics" section of this catalog.

APPLICATIONS

- Flame Temperature sensing
- Spectrophotometer
- Dual-wavelength detection
 IR Thermometers for Heat Treating, induction heating, and other metal parts processing

FEATURES

- Compact
- Hermetically Sealed
- Low Noise
- Wide Wavelength Range
- Remote Measurements
- w/ TEC







Distributor

info@amstechnologies.com www.amstechnologies-webshop.com





Dual Sandwich Detector Series

Typical Electro-Optical Specifications at T_A=23°C

Model Number Detector Element	ent	Active Area		Peak Wavelength	Responsivity	Capacitance	Sh Resis	unt tance	NEP	D* @ peak	Reverse Voltage	Rise Time (µs)	Ten Rai (°	np* 1ge C)	ā
	ector Elem	Definition of the sector of th	Spectral Range (nm)		λр	o v	-10	mV	0V, λρ	0V, λρ	v				ckage Sty
	Dete			nm	A / W	pF	M	IΩ	(W/√Hz)	(cm√Hz/W)		0 V 50 Ω λΡ	Operating	Storage	Ā
		ā		typ.	typ.	typ.	min.	typ.	typ.	typ.	max.	typ.			

Non-Cooled

	Si (top)	2.54.4	400-1100	950	0.45				1.3 e -14	1.7 e +13		10	0	5	
PIN-DSS	Si	2.54 φ	950-1100	1060	0.12	70	50 5	500	4.8 e -14	4.7 e +12	5	150	+10	+12	17 /
	Si (top)	2.54 φ	400-1100	950	0.55 §	450	1	50	1.9 e -14 §	1.2 e +13 §	5	4	∼ ç	55 ~	TO-5
PIN-DSIn	InGaAs	1.50 φ	1000-1800	1300	0.60	300	1	.0	2.1 e -13	8.4 e +11	2	4	1	"	

Two Stage Thermoelectrically Cooled ‡

PIN-DSIn-TEC	Si (top)	2.54 φ	400-1100	950	0.55 §	450	150	1.9 e -14 §	1.2 e +13 §	5	4	+100	+125	24 /
	InGaAs	1.50 φ	1000-1800	1300	0.60	300	1.0	2.1 e -13	8.4 e +11	2	4	-40 ~	-55 ~	TO-8

§ @ 870 nm
 ‡ Thermo-Electric Cooler and Thermistor Specifications are specified in the tables below.
 ¶ For mechanical drawings please refer to pages 61 thru 73.
 * Non-Condensing temperature and Storage Range, Non-Condensing Environment.

Thermistor Specifications

PARAMETER	CONDITION	SPECIFICATION						
Temperature Range		-100 °C to +100 °C						
Nominal Resistance		1.25 KΩ @ 25 ºC						
	-100 °C to -25 °C	± 6.5 °C						
	-25 °C to +50 °C	± 3.5 °C						
Accuracy	@ 25 °C	± 1.5 °C						
	+50 °C to +100 °C	± 6.7 °C						

Two Stage Thermo-electric Specifications

PARAMETER	SYMBOL	CONDI	TION	SPECIFICATION		
Mariana Addina bla Tana antona Difference		I = I _{MAX}	Vaccum	91		
Maximum Achievable Temperature Difference	Δτ _{ΜΑΧ} (°C)	QC = 0	Dry	83		
Maximum Amount Of Heat Absorbed At The Cold Face	Q _{MAX} (W)	I = I _{MAX} ,	ΔT= 0	0.92		
Input current In Greatest ΔT_{MAX}	I _{MAX} (A)			1.4		
Voltage At ΔT _{MAX}	V _{MAX} (V)			2.0		

Photodiode Care and Handling Instructions

AVOID DIRECT LIGHT

Since the spectral response of silicon photodiode includes the visible light region, care must be taken to avoid photodiode exposure to high ambient light levels, particularly from tungsten sources or sunlight. During shipment from OSI Optoelectronics, your photodiodes are packaged in opaque, padded containers to avoid ambient light exposure and damage due to shock from dropping or jarring.

AVOID SHARP PHYSICAL SHOCK

Photodiodes can be rendered inoperable if dropped or sharply jarred. The wire bonds are delicate and can become separated from the photodiode's bonding pads when the detector is dropped or otherwise receives a sharp physical blow.

CLEAN WINDOWS WITH OPTICAL GRADE CLOTH / TISSUE

Most windows on OSI Optoelectronics photodiodes are either silicon or quartz. They should be cleaned with isopropyl alcohol and a soft (optical grade) pad.

OBSERVE STORAGE TEMPERATURES AND HUMIDITY LEVELS

Photodiode exposure to extreme high or low storage temperatures can affect the subsequent performance of a silicon photodiode. Storage temperature guidelines are presented in the photodiode performance specifications of this catalog. Please maintain a non-condensing environment for optimum performance and lifetime.

OBSERVE ELECTROSTATIC DISCHARGE (ESD) PRECAUTIONS

OSI Optoelectronics photodiodes, especially with IC devices (e.g. Photops) are considered ESD sensitive. The photodiodes are shipped in ESD protective packaging. When unpacking and using these products, anti-ESD precautions should be observed.

DO NOT EXPOSE PHOTODIODES TO HARSH CHEMICALS

Photodiode packages and/or operation may be impaired if exposed to CHLOROTHENE, THINNER, ACETONE, or TRICHLOROETHYLENE.

INSTALL WITH CARE

Most photodiodes in this catalog are provided with wire or pin leads for installation in circuit boards or sockets. Observe the soldering temperatures and conditions specified below:

Soldering Iron:	Soldering 30 W or le Temperature at tip o	ess f iron 300°C or lower.	
Dip Soldering:	Bath Temperature: Immersion Time: Soldering Time:	260±5°C. within 5 Sec. within 3 Sec.	
Vapor Phase Soldering:	DO NOT USE		
Reflow Soldering:	DO NOT USE		

Photodiodes in plastic packages should be given special care. Clear plastic packages are more sensitive to environmental stress than those of black plastic. Storing devices in high humidity can present problems when soldering. Since the rapid heating during soldering stresses the wire bonds and can cause wire to bonding pad separation, it is recommended that devices in plastic packages to be baked for 24 hours at 85°C.

The leads on the photodiode **SHOULD NOT BE FORMED**. If your application requires lead spacing modification, please contact OSI Optoelectronics Applications group at (310)978-0516 before forming a product's leads. Product warranties could be voided.



*Most of our standard catalog products are RoHS Compliant. Please contact us for details



- A = Distance from top of chip to top of glass.
- a = Photodiode Anode.
- B = Distance from top of glass to bottom of case.
- c = Photodiode Cathode
 - (Note: cathode is common to case in metal package products unless otherwise noted).
- W = Window Diameter.
- F.O.V. = Filed of View (see definition below).

2. Dimensions are in inches (1 inch = 25.4 mm).

- 3. Pin diameters are 0.018 ± 0.002 " unless otherwise specified.
- 4. Tolerances (unless otherwise noted)

General: 0.XX ±0.01" 0.XXX ±0.005" Chip Centering: ±0.010" Dimension 'A': ±0.015"

5. Windows

All 'UV' Enhanced products are provided with QUARTZ glass windows, 0.027 ± 0.002 " thick.

All 'XUV' products are provided with removable windows.

All 'DLS' PSD products are provided with A/R coated glass windows.

All 'FIL' photoconductive and photovoltaic products are epoxy filled instead of glass windows.



- Or visit our website at www.osioptoelectronics.com

Please Call One of Our Experienced Sales and Applications Engineers

Specifications and Die Topography

rawings

For Further Assistance

310-978-0516

Mechanical Specifications

All units in inches. Pinouts are bottom view.

64

Mechanical Specifications

All units in inches. Pinouts are bottom view.

